Bluetooth Car Diagnostic Interface Scanner

Super MINI ELM327 V2.1 Bluetooth Scanner Smallest Body Around the World Auto Code Reader Scanner This ELM327 support TORQUE software for Android system cell phone, OBDscope software for Symbian system cell phone, PPC(Windows Mobile) system cell phone, ScanMaster-ELM for PC

Specifications

Model : ELM 327
Type:code readers & scan tools
Output protocol:bluetooth
Material :plastic
Voltage:12V
Current:45mA
Color:blue
Wave frequency:38400Hz
Applicable scope:5-10m/ 16.4-32.8ft
OBD SCAN is the newly developed wireless scan tool. It supports all OBD-II protocols
Works with all OBD-II compliant vehicles
Bluetooth only No Wifi
For your information
For your vehicle to be OBD II compliant it must have a 16-pin DLC (Data Link Connector) under the dash and the Vehicle Emission Control Information Label must state that the vehicle is OBD II compliant

وحدة ELM327 توفر اتصال لا سلكي بتقنية البلوتوث ، يمكن استخدامها مع الشاريع التي تحتاج لقراءة رموز ورسائل أخطاء السيارت

المميزات

الجهد : 12 فولت
التيار : 45 ملي امبير
اللون : ازرق
الطول الموجي : 3840 هيرتز
المواد المصنعة : بلاستيك

Bluetooth 4.0 USB

Product Name : This mini USB Bluetooth 4.0 adapter with high speed, you can connect it with your pc

Model : csr v4.0 dongle

قطعة البلوتوث تستخدم لربط جهازين مع بعض بتقنية البلوتوث ، يمكنك استخدام القطعة مع جهاز الحاسوب لتوفير تقنية بلوتوث

Serial Port Bluetooth Module

It’s very easy to add wireless serial connectivity for your device with this module. Examples for Arduino and other boards are available. Once you pair with other Bluetooth device you work like with normal UART to exchange data

Features :

Model : Bluetooth module board Series – HC-06
Bases at CSR BC04 Bluetooth technology
with build-in 2.4GHz antenna
It’s at the Bluetooth class 2 power level
Operating voltage 3.1V – 4.2V
Operating current in pairing is in the range of 30 – 40mA
Operating current in communication is 8mA
Standard HCI Port -UART or USB
USB Protocol : Full Speed USB1.1, Compliant With 2.0
Can be soldered on board
Storage temperature range: -40 °C – 85°C
Operating temperature range: -25 °C – +75°C
Dimensions 27mm×13mm×2mm

تستخدم هذه الوحدة في انشاء اتصال لاسلكي باستخدام تقنية البلوتوث عبر بروتوكول SPP الذي يتيح الاتصال بين الاجهزة لاسكليا

Wireless USB mini Keyboard with Touchpad

- 2.4GHz (or Bluetooth) Mini Wireless QWERTY keyboard, Touchpad combo, with USB interface adapter.
- 92 keys, 2.4GHz wireless Keyboard with Touchpad.

- Built-in high sensitive smart touchpad with 360-degree flip design
- Innovative shape, portable, elegant, Perfect for Raspberry pi, PC, Pad, Android TV Box, Google TV Box, Xbox360, PS3, HTPC/IPTV
- Package Includes: 1x Wireless keyboard, 1x Wireless receiver, 1x Charging data cable, 1x User manual
- 3 in 1 multifunction: wireless Keyboard + mouse + touchpad.

لوحة المفاتيح اللاسلكية صغيرة الحجم مع ماوس اللمس يمكن استخدامه مع الرازبري باي او مع اجهزة الحاسوب ، ايضا يمكن استعماله مع اجهزة التلفزيون المرئية التي تعمل بنظام التشغيل اندرويد وايضا مع جهاز اكس بوكس والبلي ستيشن وغيرها من الاجهزة التي تحتاج الى لوحة مفاتيح لادخال البيانات .

- يحتوى على 92 زرار يمكن اقترانه باتصال لاسكلي يصل حوالي 2.4 جيجا هيرتز
- يحتوى على ثلاثة مهام : لوحة مفاتيح لاسلكية + ماوس او فارة بتقنية اللمس
- يحتوى على لوحة مفاتيح لاسلكية ، ومتستقبل للاشارات اللاسكلية ، وايضا سلك لشحن لوحة المفاتيح